



# GET CONNECTED



**DRIVER:** Joel Eaton  
**VEHICLE:** Xray XB2  
**TRACK:** Murf's IRCR  
**SURFACE:** Dirt, Tight, Smooth  
**TRACTION:** LOW  MED  HIGH

**MOTOR:** Gen3 6.5  
**ENDBELL TIMING:** 29°  
**ROTOR:** Stock  
**GEARING:** 81/23 (2.65 Internal)  
**BATTERY:** Protek 4900 LiHV 8.40 peak

## ONBOARD PROGRAMMING

<b>DRAG BRAKE</b> <b>DB</b> [Progress Bar] 20	<b>BRAKE STRENGTH</b> <b>BS</b> [Progress Bar] 100	<b>TORQUE CONTROL</b> <b>TC</b> [Progress Bar] MAX	<b>NEUTRAL WIDTH</b> <b>NW</b> [Progress Bar] 7
<b>TIMING PROFILE</b> <b>TP</b> [Progress Bar] 1	<b>MOTOR TYPE</b> <b>MT</b> [Progress Bar] BW-FL	<b>VOLTAGE CUTOFF</b> <b>VC</b> [Progress Bar] 6.4	<b>PER CELL</b> 3.2 v

## SOFTWARE PROGRAMMING

<b>THROTTLE PROFILE</b> 3	<b>THROTTLE MINIMUM</b> 7	<b>BRAKE MINIMUM</b> 3	<b>ACTIVE BRAKE</b> 0
<b>THROTTLE FREQ</b> 10kHz	<b>BRAKE FREQ</b> 7kHz	<b>PUSH CONTROL</b> Off	<b>SPEC STOCK MODE</b> <input checked="" type="checkbox"/>
			<b>BEC VOLTAGE</b> 6.0

## BOOST / TURBO SETTINGS

<b>SOFTWARE V</b> 258	<b>DUAL MODE</b> <input type="radio"/>	<b>SENSORED</b> <input checked="" type="radio"/>			
<b>MOTOR TIMING</b> ?	<b>START RPM</b> 5443	<b>BOOST</b> 0	<b>END RPM</b> 20016	<b>TURBO DELAY</b> 0.5	<b>TURBO</b> 0
<b>MOTOR TIMING</b>	<b>BOOST</b>	<b>TURBO</b>		<b>RAMP RATE</b> 1	

**NOTES:** Radio Brakes EPA set to 72%